

# Cube

MASSIMILANO RAGGI



# Cube

MASSIMILANO RAGGI




## NOMAD | WIRED OUTDOOR

Cube adapts itself to every outdoor environment. Offered in both rechargeable battery and wired versions, this elegant lantern combines practicality and sophistication. The battery version introduces an innovative ignition system, while the charging process is facilitated by the removable battery body. Cube is available in total bronze or white finishes for a timeless aesthetic. IP65 and Marine Grade protection.

Cube si trasforma per l'ambiente esterno. Proposta sia in versione a batteria ricaricabile che cablata, questa elegante lanterna combina praticità e raffinatezza. La variante a batteria introduce un innovativo sistema di accensione, mentre la ricarica è agevolata dalla rimozione del corpo batteria. Cube è disponibile nelle finiture total bronzo o bianco per un'estetica senza tempo. Protezione IP65 e Marine Grade.

- P3 **Cube Nomad mini**
- P4 **Cube Nomad small**
- P5 **Cube Nomad large**
- P6 **Cube Wired small**
- P7 **Cube Wired large**

LIGHT EFFECT | EFFETTO LUMINOSO





**LIGHT SOURCE | FONTE LUMINOSA**

220-240V · 110V | 1x3 W LED Module  
 400 Lm | 2.700 K | CRI >90 | IP65


Autonomy | Autonomia: 10 hours | ore  
 Life cycles | Cicli di vita: 600  
 Charging time | Tempi di ricarica: 6/8 hours | ore  
 USB cable type C supplied, power supply not supplied  
 Cavo USB tipo C fornito, alimentatore non fornito (min 5V 2A)

**FINISHES | FINITURE**

METAL FRAME | STRUTTURA METALLICA

-  Dark bronze  
Bronzo scuro
-  White  
Bianco



PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

-  Transparent ribbed  
Rigato trasparente

**Packaging | Imballi**

<b>MINI</b>	195x195xh.385mm [7.6"x7.6"xh.15.1"]
	2,5 kg [5.5 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO



**LIGHT SOURCE | FONTE LUMINOSA**

220-240V · 110V | 1x3 W LED Module  
 400 Lm | 2.700 K | CRI >90 | IP65

Autonomy | Autonomia: 10 hours | ore  
 Life cycles | Cicli di vita: 600  
 Charging time | Tempi di ricarica: 6/8 hours | ore  
 USB cable type C supplied, power supply not supplied  
 Cavo USB tipo C fornito, alimentatore non fornito (min 5V 2A)

**FINISHES | FINITURE**

METAL FRAME | STRUTTURA METALLICA

- Dark bronze  
Bronzo scuro
- White  
Bianco



PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

- Transparent ribbed  
Rigato trasparente

**Packaging | Imballi**

<b>SMALL</b>	355x355xh.855mm [13.9"x13.9"xh.33.6"]
	6 kg [13.2 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO





LIGHT SOURCE | FONTE LUMINOSA

220-240V · 110V | 1x3 W LED Module  
400 Lm | 2.700 K | CRI >90 | IP65


Autonomy | Autonomia: 10 hours | ore  
Life cycles | Cicli di vita: 600  
Charging time | Tempi di ricarica: 6/8 hours | ore  
USB cable type C supplied, power supply not supplied  
Cavo USB tipo C fornito, alimentatore non fornito (min 5V 2A)

FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

-  Dark bronze  
Bronzo scuro
-  White  
Bianco


PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

-  Transparent ribbed  
Rigato trasparente

Packaging | Imballi

<b>LARGE</b>	475x475xh.1205mm [18.7"x18.7"xh.47.4"]
	12 kg [26.4 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO



**LIGHT SOURCE | FONTE LUMINOSA**

220-240V | 1x10 W E27  
LED Light bulb | Lampadina LED | IP65

**LIGHT SOURCE | FONTE LUMINOSA**

110V | 1x10 W E26  
LED Light bulb | Lampadina LED | IP65

**DIMMING | DIMMERAZIONE**



Compatible with dimmable LED bulbs  
Compatibile con lampadine LED dimmerabili

**CABLE | CAVO**


Black cable | Cavo nero  
L.2000mm [78.7"]  
Supplied with IP68 connector for outdoor use  
Cavo nero fornito con connettore IP68 per esterni

**FINISHES | FINITURE**

METAL FRAME | STRUTTURA METALLICA

-  Dark bronze  
Bronzo scuro
-  White  
Bianco


PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

-  Transparent ribbed  
Rigato trasparente

**Packaging | Imballi**

<b>SMALL</b>	355x355xh.855mm [13.9"x13.9"xh.33.6"]
	6 kg [13.2 lbs]

LIGHT EFFECT | EFFETTO LUMINOSO



LIGHT SOURCE | FONTE LUMINOSA

220-240V | 1x10 W E27  
LED Light bulb | Lampadina LED | IP65

LIGHT SOURCE | FONTE LUMINOSA

110V | 1x10 W E26  
LED Light bulb | Lampadina LED | IP65

DIMMING | DIMMERAZIONE


Compatible with dimmable LED bulbs  
Compatibile con lampadine LED dimmerabili


CABLE | CAVO

Black cable | Cavo nero  
L.2000mm [78.7"]  
Supplied with IP68 connector for outdoor use  
Cavo nero fornito con connettore IP68 per esterni


FINISHES | FINITURE

METAL FRAME | STRUTTURA METALLICA

 Dark bronze  
Bronzo scuro

 White  
Bianco

PLEXIGLASS DIFFUSER | DIFFUSORE IN PLEXIGLASS

 Transparent ribbed  
Rigato trasparente

Packaging | Imballi

<b>LARGE</b>	475x475xh.1205mm [18.7"x18.7"xh.47.4"]
	12 kg [26.4 lbs]



**CONTARDI LIGHTING Srl**

ITALY HEADQUARTERS  
[contardi-italia.com](http://contardi-italia.com)

**CONTARDI USA Inc**

USA BRANCH  
[contardi-usa.com](http://contardi-usa.com)

Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi Lighting Srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.