




Preziosa semplicità.

Elementi triangolari dalle linee pure ed essenziali, che emanano una luce suggestiva pur essendo funzionali. La luce diventa protagonista, grazie al diffusore rigato, scelto ad hoc per produrre giochi di luce unici in vari contesti. Prodotto esteticamente minimalista, Stick è tecnicamente realizzato secondo uno standard molto elevato, senza viti o fissaggi, tranne sul retro. Elementi puri e architettonici si fondono all'interno di un corpo illuminante di grande carattere.

Stick illumina l'ambiente circostante in modo uniforme se visto di fronte; tuttavia, a seconda dell'angolo di visione, crea effetti di luce differenti. La gamma di prodotti Stick è costituita da lampade a parete, a sospensione e da terra.

Precious simplicity.

Triangular elements with pure, essential lines, which emanate an atmospheric light while being functional. Light takes the leading role, thanks to the ribbed diffuser, chosen specifically to produce unique plays of illumination in various contexts. An aesthetically minimalist product, Stick is technically made to a very high standard, with no screws or attachments, except on the back. Pure and architectural elements are combined within a lighting unit of great character. Stick lights its surroundings evenly when seen from the front; however, depending on the viewing angle, it creates different light effects. The Stick product range consists of wall, pendant and floor lamps.

SPECIFICHE PRODOTTO / PRODUCT SPECIFICS

STICK AP SMALL L.30	p.4
STICK AP MEDIUM L.60	p.5
STICK AP DOUBLE DX L.30/L.60	p.6
STICK AP DOUBLE SX L.30/L.60	p.7
STICK AP TRIO	p.8
STICK SO L.90	p.9
STICK SO L.150	p.10
STICK SO TRIO	p.11
STICK FL L.190	p.12

STRUTTURA / FRAME

Nickel dorato satinato
Satin golden nickel finish



Rame satinato
Satin copper finish

DIFFUSORE / DIFFUSER

Plexiglass rigato
Ribbed plexiglass

CAVO - INTERRUTTORE / CABLE - SWITCH

Tessuto nero
Black colour fabric

FL
Dimmerabile a piede
Foot dimmable

USA / CABLE - SWITCH

Black color fabric

FL
Foot dimmable

FONTE LUMINOSA / LIGHT SOURCE**220-240V**

Custom LED

AP SMALL L.30

1 x 13.5W
Custom LED
Emissione / Light emission: 1.250 Lm
2.700 K; CRI: >90
IP44

AP MEDIUM L.60

1 x 27W
Custom LED
Emissione / Light emission: 2.500 Lm
2.700 K; CRI: >90
IP44

AP DOUBLE L.30/L.60

1 x 13.5W + 1 x 27W
Custom LED
Emissione / Light emission: 3.750 Lm
2.700 K; CRI: >90
IP44

AP TRIO

3 x 27W
Custom LED
Emissione / Light emission: 7.500 Lm
2.700 K; CRI: >90
IP20

110V

Custom LED

AP SMALL L.30

1 x 13.5W
Custom LED
Light emission: 1.250 Lm
2.700 K; CRI: >90
IP44

AP SMALL L.30

1 x 27W
Custom LED
Light emission: 2.500 Lm
2.700 K; CRI: >90
IP44

AP DOUBLE L.30/L.60

1 x 13.5W + 1 x 27W
Custom LED
Light emission: 3.750 Lm
2.700 K; CRI: >90
IP44

AP TRIO

3 x 27W
Custom LED
Light emission: 7.500 Lm
2.700 K; CRI: >90
IP20

FRONT LUMINOUS / LIGHT SOURCE**220-240V**

Custom LED

SO L.90

1 x 40W

Custom LED

Emissione / Light emission: 3.750 Lm

2.700 K; CRI: >90

IP20

SO L.150

1 x 65W

Custom LED

Emissione / Light emission: 6.250 Lm

2.700 K; CRI: >90

IP20

SO TRIO

6 x 40W

Custom LED

Emissione / Light emission: 22.500 Lm

2.700 K; CRI: >90

IP20

FL

5 x 13.5W

Custom LED

Emissione / Light emission: 7.500 Lm

2.700 K; CRI: >90

IP20

AP / SO

Dimmerazione taglio di fase/Triac - altri sistemi di dimmerazione (DALI e 1-10V) disponibili su richiesta

Phase cut/Triac dimming - alternative dimming systems (DALI and 1-10V) available on demand

FL

Dimmerabile a piede

Foot dimmable**110V**

Custom LED

SO L.90

1 x 40W

Custom LED

Light emission: 3.750 Lm

2.700 K; CRI: >90

IP20

SO L.150

1 x 67.5W

Custom LED

Light emission: 6.250 Lm

2.700 K; CRI: >90

IP20

SO TRIO

6 x 40W

Custom LED

Light emission: 22.500 Lm

2.700 K; CRI: >90

IP20

FL

5 x 13.5W

Custom LED

Light emission: 7.500 Lm




2.700 K; CRI: >90




IP20




AP / SO



Phase cut/Triac dimming - 1-10V dimming system available on demand



FL*Foot dimmable*


























Copyright and/or design rights subsist in this drawing. No part of this drawing may be reproduced in any material form (including photocopying or storing in any medium electronic means, whether or not intentionally and whether or not as part or a larger publication) without the express permission of the copyright owner, Contardi Lighting S.r.l.. Further and without prejudice to the above, this drawing and all information relating thereto is confidential, and shall not be communicated to a third party without the consent of Contardi lighting srl. Contardi lighting srl asserts all rights to be identified as the author of the work and otherwise.

WARNING: The doing of any unauthorised act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution.

CONTARDI LIGHTING Srl

ITALY HEADQUARTERS

contardi-italia.com / sales@contardi-italia.it

CONTARDI USA Inc

USA BRANCH

contardi-usa.com / office@contardi-usa.com

